# The History and Meaning of the Journal Impact Factor

#### Eugene Garfield, PhD

FIRST MENTIONED THE IDEA OF AN IMPACT FACTOR IN Science in 1955.<sup>1</sup> With support from the National Institutes of Health, the experimental Genetics Citation Index was published, and that led to the 1961 publication of the Science Citation Index.<sup>2</sup> Irving H. Sher and I created the journal impact factor to help select additional source journals. To do this we simply re-sorted the author citation index into the journal citation index. From this simple exercise, we learned that initially a core group of large and highly cited journals needed to be covered in the new Science Citation Index (SCI). Consider that, in 2004, the Journal of Biological Chemistry published 6500 articles, whereas articles from the Proceedings of the National Academy of Sciences were cited more than 300 000 times that year. Smaller journals might not be selected if we rely solely on publication count,<sup>3</sup> so we created the journal impact factor (JIF).

The TABLE provides a selective list of journals ranked by impact factor for 2004. The Table also includes the total number of articles published in 2004, the total number of articles published in 2002 plus 2003 (the JIF denominator), the citations to everything published in 2002 plus 2003 (the JIF numerator), and the total citations in 2004 for all articles ever published in a given journal. Sorting by impact factor allows for the inclusion of many small (in terms of total number of articles published) but influential journals. Obviously, sorting by total citations or other provided data would result in a different ranking.

The term "impact factor" has gradually evolved to describe both journal and author impact. Journal impact factors generally involve relatively large populations of articles and citations. Individual authors generally produce smaller numbers of articles, although some have published a phenomenal number. For example, transplant surgeon Tom Starzl has coauthored more than 2000 articles, while Carl Djerassi, inventor of the modern oral contraceptive, has published more than 1300.

Even before the *Journal Citation Reports* (*JCR*) appeared, we sampled the 1969 *SCI* to create the first published ranking by impact factor.<sup>4</sup> Today, the *JCR* includes every journal citation in more than 5000 journals—about 15 million citations from 1 million source items per year. The precision of impact factors is questionable, but reporting to 3 decimal places re-

duces the number of journals with the identical impact rank. However, it matters very little whether, for example, the impact of *JAMA* is quoted as 24.8 rather than 24.831.

A journal's impact factor is based on 2 elements: the numerator, which is the number of citations in the current year to items published in the previous 2 years, and the denominator, which is the number of substantive articles and reviews published in the same 2 years. The impact factor could just as easily be based on the previous year's articles alone, which would give even greater weight to rapidly changing fields. An impact factor could also take into account longer periods of citations and sources, but then the measure would be less current.

#### Scientometrics and Journalology

Citation analysis has blossomed over the past 4 decades. The field now has its own International Society of Scientometrics and Informetrics.<sup>5</sup> Stephen Lock, former editor of *BMJ*, aptly named the application of bibliometrics to journals evaluation "journalology."<sup>6</sup>

All citation studies should be adjusted to account for variables such as specialty, citation density, and half-life.<sup>7</sup> The citation density is the average number of references cited per source article and is significantly lower for mathematics journals than for molecular biology journals. The halflife (ie, number of retrospective years required to find 50% of the cited references) is longer for physiology journals than that for physics journals. For some fields, the JCR's 2-year period for calculation of impact factors may or may not provide as complete a picture as would a 5- or 10-year period. Nevertheless, when journals are studied by category, the rankings based on 1-, 7-, or 15-year impact factors do not differ significantly.<sup>8,9</sup> When journals are studied across fields, the ranking for physiology journals improves significantly as the number of years increases, but the rankings within the category do not significantly change. Similarly, Hansen and Henriksen<sup>10</sup> reported "good agreement between the journal impact factor and the cumulative citation frequency of papers on clinical physiology and nuclear medicine."

There are exceptions to these generalities. Critics of the JIF will cite all sorts of anecdotal citation behavior that do not represent average practice. Referencing errors abound,

©2006 American Medical Association. All rights reserved.

Author Affiliation: Chairman Emeritus, Thomson Scientific, Philadelphia, Pa. Corresponding Author: Eugene Garfield, PhD, Thomson Scientific, 3501 Market St, Philadelphia, PA 19104 (garfield@codex.cis.upenn.edu).

but most are variants that do not affect journal impact, since only variants in cited journal abbreviations matter in calculating impact. These are all unified prior to issuing the *JCR* each year.

The impact factors reported by the *JCR* tacitly imply that all editorial items in *BMJ*, *JAMA*, *Lancet*, *New England Journal of Medicine*, etc, can be neatly categorized, but such journals publish large numbers of items that are not substantive in regards to citations. Correspondence, letters, commentaries, perspectives, news stories, obituaries, editorials, interviews, and tributes are not included in the *JCR*'s denominator. However, they may be cited, especially in the current year. For that reason, they do not significantly affect impact calculations. Nevertheless, since the numerator includes later citations to these ephemera, some distortion will result, although only a small group of leading medical journals are affected.

The assignment of publication codes is based on human judgment. A news story might be perceived as a substantive article, and a significant letter might not be. Furthermore, no effort is made to differentiate clinical vs laboratory studies or, for that matter, practice-based vs researchbased articles. All these potential variables provide grist for the critical mill of citation aficionados.

## Size vs Citation Density

There is a widespread belief that the size of the scientific community that a journal serves significantly affects impact factor. This assumption overlooks the fact that while more authors produce more citations, these must be shared by a larger number of cited articles. Most articles are not well-cited, but some articles may have unusual crossdisciplinary impact. It is well known that there is a skewed distribution of citations in most fields. The so-called 80/20 phenomenon applies, in that 20% of articles may account for 80% of the citations. The key determinants of impact factor are not the number of authors or articles in the field but, rather, the citation density and the age of the literature cited. The size of a field, however, will increase the number of "super-cited" papers. And while a few classic methodology papers exceed a high threshold of citation, thousands of other methodology and review papers do not. Publishing mediocre review papers will not necessarily boost a journal's impact. Some examples of super-citation classics include the Lowry method, 11 cited 300 000 times, and the Southern Blot technique, by E. M. Southern, cited 30 000 times.<sup>12</sup> Since the roughly 60 papers cited more than 10 000 times are decades old, they do not affect the calculation of the current impact factor. Indeed, of 38 million items cited from 1900-2005, only 0.5% were cited more than 200 times. Half were not cited at all, and about one quarter were not substantive articles but rather the editorial ephemera mentioned earlier.

The skewness of citations is well known and repeated as a mantra by critics of the impact factor. If manuscript refereeing or processing is delayed, references to articles that are no longer within the *JCR*'s 2-year impact window will not be counted.<sup>13</sup> Alternatively, the appearance of articles

Journal Title	2004 Impact Factor	Articlos		Citations in 2004	
		2004	2002 + 2003	To 2002 + 2003 Articles	Total
Annual Review of Immunology	52.4	30	51	2674	14 357
New England Journal of Medicine	38.6	316	744	28 696	159 498
Nature Reviews: Cancer	36.6	79	149	5447	6618
Physiological Reviews	33.9	35	61	2069	14 671
Nature Reviews: Immunology	32.7	80	151	4937	5957
Nature	32.2	878	1748	56 255	363 374
Science	31.9	845	1736	55 297	332 803
Nature Medicine	31.2	168	318	9929	38 657
Cell	28.4	288	627	17 800	136 472
Nature Immunology	27.6	130	273	7531	14 063
JAMA	24.8	351	751	18648	88 864
Nature Genetics	24.7	191	420	10372	49 529
Annual Review of Neuroscience	23.1	26	42	972	8093
Pharmacological Reviews	22.8	19	49	1119	7800
Lancet	21.7	415	1020	22 147	126 002
Annals of Internal Medicine	13.1	189	396	5193	36 932
Annual Review of Medicine	11.2	29	65	728	3188
Archives of Internal Medicine	7.5	282	567	4257	26 525
BMJ	7.0	623	1222	8601	56 807
CMAJ	5.9	100	220	1307	6736

©2006 American Medical Association. All rights reserved.

(Reprinted with Corrections) JAMA, January 4, 2006–Vol 295, No. 1 91

#### COMMENTARY

on the same subject in the same issue may have an upward effect, as shown by Opthof.<sup>14</sup> For greater precision, it is preferable to conduct item-by-item journal audits so that any differences in impact for different types of editorial items can be taken into account.<sup>15</sup>

Some editors would calculate impact solely on the basis of their most-cited papers so as to diminish their otherwise low impact factors. Others would like to see rankings by geographic or language group because of the *SCI*'s alleged English-language bias, even though the *SCI* covers European largely German, French, and Spanish—medical journals.

Other objections to impact factors are related to the system used in the *JCR* to categorize journals. The heuristic methods used by Thomson Scientific (formerly Thomson ISI) for categorizing journals are by no means perfect, even though citation analysis informs their decisions. Recent work by Pudovkin and myself<sup>16</sup> is an attempt to group journals objectively. We rely on the 2-way citational relationships between journals to reduce the subjective influence of journal titles such as the *Journal of Experimental Medicine*—one of the top 5 immunology journals.<sup>17</sup>

The JCR recently added a new feature that provides the ability to more precisely establish journal categories based on citation relatedness. A general formula based on the citation relatedness between 2 journals is used to express how close they are in subject matter. For example, the journal *Controlled Clinical Trials* is more closely related to JAMA than at first meets the eye. In a similar fashion, using the relatedness formula one can demonstrate that, in 2004, the *New England Journal of Medicine* was among the most significant journals to publish cardiovascular research.

## **Journal Performance Indicators**

Many of the discrepancies inherent in JIFs are eliminated altogether in another Thomson Scientific database called Journal Performance Indicators (JPI).<sup>18</sup> Unlike the JCR, the JPI database links each source item to its own unique citations. Therefore, the impact calculations are more precise. Only citations to the substantive items that are in the denominator are included. And it is possible to obtain cumulative impact measures covering longer time spans. For example, the cumulated impact for JAMA articles published in 1999 was 84.5. This was derived by dividing the 31 257 citations received from 1999 to 2004 by the 370 articles published in 1999. That year *JAMA* published 1905 items, of which 680 were letters and 253 were editorials. Citations to these items were not included in the JPI calculation of impact.

In addition to helping libraries decide which journals to purchase, JIFs are also used by authors to decide where to submit their articles. As a general rule, the journals with high impact factors include the most prestigious. Some would equate prestige with high impact.

The use of JIFs instead of actual article citation counts to evaluate individuals is a highly controversial issue. Granting

and other policy agencies often wish to bypass the work involved in obtaining citation counts for individual articles and authors. Allegedly, recently published articles may not have had enough time to be cited, so it is tempting to use the JIF as a surrogate evaluation tool. Presumably, the mere acceptance of the paper for publication by a high-impact journal is an implied indicator of prestige. Typically, when the author's work is examined, the impact factors of the journals involved are substituted for the actual citation count. Thus, the JIF is used to estimate the expected count of individual papers, which is rather dubious considering the known skewness observed for most journals.

Today, so-called Webometrics are increasingly brought into play, though there is little evidence that this approach is any better than traditional citation analysis. Web "sitations" may occur a little earlier, but they are not the same as "citations." Thus, one must distinguish between readership or downloading and actual citation in new published papers. But some limited studies indicate that Web sitation is a harbinger of future citation.<sup>19-23</sup>

The assumption that the impact of recent articles cannot be evaluated in the *SCI* is not universally correct. While there may be several years' delay for some topics, papers that achieve high impact are usually cited within months of publication and certainly within a year or so. This pattern of immediacy has enabled Thomson Scientific to identify "hot papers" in its bimonthly publication, *Science Watch*. However, full confirmation of high impact is generally obtained 2 years later. The *Scientist* waits up to 2 years to select hot papers for commentary by authors. Most of these papers will eventually go on to become "citation classics."<sup>24</sup>

Two recent examples of hot papers published in *JAMA* are those on the benefits and risks of estrogen in postmenopausal women. The first<sup>25</sup> was cited in 132 articles after 6 months, then 776 times in 2003 and 862 times in 2004. The second,<sup>26</sup> more recent, hot paper has already been cited in 300 articles.

### Conclusion

Of the many conflicting opinions about impact factors, Hoeffel<sup>27</sup> expressed the situation succinctly:

Impact Factor is not a perfect tool to measure the quality of articles but there is nothing better and it has the advantage of already being in existence and is, therefore, a good technique for scientific evaluation. Experience has shown that in each specialty the best journals are those in which it is most difficult to have an article accepted, and these are the journals that have a high impact factor. Most of these journals existed long before the impact factor was devised. The use of impact factor as a measure of quality is widespread because it fits well with the opinion we have in each field of the best journals in our specialty.

The use of journal impacts in evaluating individuals has its inherent dangers. In an ideal world, evaluators would read each article and make personal judgments. The recent International Congress on Peer Review and Biomedical Publication (http://www.jama-peer.org) demonstrated the dif-

92 JAMA, January 4, 2006-Vol 295, No. 1 (Reprinted with Corrections)

©2006 American Medical Association. All rights reserved.

ficulties of reconciling such peer judgments. Most individuals do not have the time to read all the relevant articles. Even if they do, their judgment surely would be tempered by observing the comments of those who have cited the work. Online full-text access has made that practical.

Financial Disclosures: Dr Garfield owns stock in, and occasionally has received per diem payment from, Thomson Scientific.

**Previous Presentations:** Presented in part at the 2000 Council of Science Editors Annual Meeting; May 6-9, 2000; San Antonio, Tex; and at the Fifth International Congress on Peer Review and Biomedical Publication; September 16-18, 2005; Chicago, Ill.

#### REFERENCES

1. Garfield E. Citation indexes to science: a new dimension in documentation through association of ideas. *Science*. 1955;122:108-111. Available at: http://garfield .library.upenn.edu/essays/v6p468y1983.pdf. Accessed October 26, 2005.

2. Garfield E, Sher IH. *Genetics Citation Index*. Philadelphia, Pa: Institute for Scientific Information; July 1963. Available at: http://www.garfield.library.upenn .edu/essays/v7p515y1984.pdf. Accessibility verified November 29, 2005.

3. Brodman E. Choosing physiology journals. *Bull Med Libr Assoc.* 1944;32:479-483.

**4.** Garfield E. Citation analysis as a tool in journal evaluation. *Science*. 1972;178: 471-479. Available at: http://garfield.library.upenn.edu/essays/V1p527y1962-73 .pdf. Accessed October 25, 2005.

**5.** International Society of Scientometrics and Informetrics Web site. Available at: http://www.issi-society.info/. Accessibility verified November 14, 2005.

Lock SP. Journalology: are the quotes needed? CBE Views. 1989;12:57-59. Available at: http://garfield.library.upenn.edu/essays/v13p019y1990.pdf. Accessed October 25, 2005.

7. Pudovkin AI, Garfield E. Rank-normalized impact factor: a way to compare journal performance across subject categories. In: *Proceedings of the 67th Annual Meeting of the American Society for Information Science & Technology*. Vol 41. Silver Spring, Md: American Society for Information Science & Technology; 2004:507-515. Available at: http://garfield.library.upenn.edu/papers /ranknormalizationasist2004published.pdf. Accessed October 25, 2005.

8. Garfield E. Long-term vs. short-term journal impact: does it matter? *Scientist*. 1998;12:10-12. Available at: http://www.garfield.library.upenn.edu/commentaries /tsv12(03)p10y19980202.pdf. Accessed October 25, 2005.

9. Garfield E. Long-term vs. short-term journal impact, II: cumulative impact factors. *Scientist*. 1998;12:12-13. Available at: http://www.garfield.library.upenn.edu /commentaries/tsv12(14)p12y19980706.pdf. Accessed October 25, 2005. **10.** Hansen HB, Henriksen JH. How well does journal "impact" work in the assessment of papers on clinical physiology and nuclear medicine? *Clin Physiol*. 1997; 17:409-418.

**11.** Lowry OH, Rosebrough NJ, Farr AL, et al. Protein measurement with the folin phenol reagent. *J Biol Chem*. 1951;193:265-275.

**12.** Southern EM. Detection of specific sequences among DNA fragments separated by gel-electrophoresis. *J Mol Biol.* 1975;98:503-517.

**13.** Yu G, Wang X-Y, Yu D-R. The influence of publication delays on impact factors. *Scientometrics*. 2005;64:235-246.

**14.** Opthof T. Submission, acceptance rate, rapid review system and impact factor. *Cardiovasc Res.* 1999;41:1-4.

**15.** Garfield E. Which medical journals have the greatest impact? *Ann Intern Med.* 1986;105:313-320. Available at: http://www.garfield.library.upenn.edu/essays /v10p007y1987.pdf. Accessed October 25, 2005.

**16.** Pudovkin AI, Garfield E. Algorithmic procedure for finding semantically related journals. *J Am Soc Inf Sci Technol*. 2002;53:1113-1119. Available at: http: //www.garfield.library.upenn.edu/papers/pudovkinsemanticallyrelatedjournals2002 .html. Accessed October 25, 2005.

**17.** Garfield E. Journal Citation Studies, III: Journal of Experimental Medicine compared with Journal of Immunology: or, how much of a clinician is the immunologist? *Curr Contents Clin Med.* June 28, 1972:5-8. Available at: http://www.garfield .library.upenn.edu/essays/V1p326y1962-73.pdf. Accessed October 25, 2005.

**18.** Thomson Scientific. Journal Performance Indicators. Available at: http://scientific .thomson.com/products/jpi/. Accessibility verified November 14, 2005.

**19.** Antelman K. Do open-access articles have a greater research impact? *Coll Res Libr.* 2004;65:372-382.

20. Lawrence S. Free online availability substantially increases a paper's impact. *Nature*. 2001;411:521.

**21.** Vaughan L, Shaw D. Bibliographic and web citations: what is the difference? *J Am Soc Inf Sci Technol.* 2003;54:1313-1322.

**22.** Kurtz MJ, Eichhorn G, Accomazzi A, et al. The effect of use and access on citations. *Inf Processing Manag.* 2005;41:1395-1402.

23. Perneger TV. Relation between online "hit counts" and subsequent citations: prospective study of research papers in the *BMJ*. *BMJ*. 2004;329:546-547.
24. Citation Classics. Available at: http://www.citationclassics.org. Accessibility verified November 14, 2005.

**25.** Rossouw JE, Anderson GL, Prentice RL, et al; Writing Group for the Women's Health Initiative Investigators. Risks and benefits of estrogen plus progestin in healthy postmenopausal women: principal results from the Women's Health Initiative randomized controlled trial. *JAMA*. 2002;288:321-333.

26. Anderson GL, Limacher M, Assaf AR, et al; Women's Health Initiative Steering Committee. Effects of conjugated, equine estrogen in postmenopausal women with hysterectomy: the Women's Health Initiative randomized controlled trial. JAMA. 2004;291:1701-1712.

27. Hoeffel C. Journal impact factors. Allergy. 1998;53:1225.